

ZERO[®]

CITY

PENDEL/PENDANT



ZERO®

CITY

PENDEL/PENDANT



ZERO®

CITY

PENDEL/PENDANT





CITY

PENDEL/PENDANT

Utförande

Lackerad aluminium. Svart RAL 9005 och gråbrun RAL 7006 som standard, andra färger på förfrågan. Inre skärm/reflektor i vitlackerad aluminium. Kan beställas utan galler på begäran. Inre matt glasgolb ingår vid E27 modell, kan beställas separat till LED modeller.

Led info

Armaturlumen 1166LM, 2120LM Systemeffekt 18W, 32W. Korrelerad färgtemperatur 3000K. Färgtolerans SDCM 3. Färgåtergivning RA >80. L80, 80.000h.

Montage


I takkrok. Inkl takkopp.

Anslutning

DCL kontakt alt. opplingsplint 5x4mm².

Design

Thomas Bernstrand 2016.



Finish

Painted aluminum, black RAL 9005 or beige grey RAL 7006 as standard. Other colours on request.. Internal shade in white painted aluminum. Can be made without grid on request. Internal glass globe is included in the E27 model and can be ordered separately to LED models.

Led info

System power 18W. 32W. Luminaire Luminous Flux 1166LM, 2120LM. CCT 3000K. SDCM 3. CRI >80. L80, 80.000h.

Installation

In ceiling-hook. Ceiling cup included.


Connection

DCL plug or terminal block 5x4mm².


Design

Thomas Bernstrand 2016.

18W/1166LM



32W/2120LM





CITY

PENDEL/PENDANT



PRODUKTFAKTA/PRODUCT SPECIFICATION

EFFEKT/POWER	KELVIN	CRI	W/KG	FÄRG /FINISH		ART.
LED						
18W/1166LM	3000K	>80	6,2	Svart/Black	On/Off	3390-3-06
18W/1166LM	3000K	>80	6,2	Svart/Black	Dali	3390-3-06HFF
18W/1166LM	3000K	>80	6,2	Gråbrun/Beige grey	On/Off	3390-3-66
18W/1166LM	3000K	>80	6,2	Gråbrun/Beige grey	Dali	3390-3-66HFF
32W/2120LM	3000K	>80	6,2	Svart/Black	On/Off	3391-3-06
32W/2120LM	3000K	>80	6,2	Svart/Black	Dali	3391-3-06HFF
32W/2120LM	3000K	>80	6,2	Gråbrun/Beige grey	On/Off	3391-3-66
32W/2120LM	3000K	>80	6,2	Gråbrun/Beige grey	Dali	3391-3-66HFF
HFF = Dimmbar med DALI alt SwitchDim/HFF = Dimmable DALI or SwitchDim.						
E27 exklusive ljuskälla. Inklusive inre matt glasglob/E27 exkluding light source. Including internal matt glass globe.						
E27/Max 20W				Svart/Black		8396-1-06
E27/Max 20W				Gråbrun/Beige grey		8396-1-06
TILLBEHÖR/ACCESSORY						
Matt glasglob/Matt glass globe						9339-1-20

Med sin arketypiska form och generösa diameter på dryga halvmeter är Citys användningsområde brett. Utomhus och inne, med fördel i detaljhandelsmiljöer, på industrier, i kollektivtrafik. Ingen risk för bländning då LED-källan sitter högt upp inuti den karaktärsfulla, branta konen där även ingjutna kylflänsar gömmer sig

With its archetypal shape and generous diameter, around half a metre, City has a wide range of applications: outdoor or indoor, enhancing retail environments, industries and public transport. There is no risk of glare as the LED sits high in the characterful, steep cone, which also hides the cast cooling flange.

ZERO®

CITY

LINMONTAGE/CATENARY



Head office:
Friluftsvägen 2
382 34 Nybro, Sweden
+46(0)481 800 00
info@zero.se

Showroom Stockholm:
Södermalmsallén 36,
SE-118 28 Stockholm, Sweden
+46(0)8-545 850 00

info@zero.se