THE ORIGINAL, INNOVATIVE LED SERIES WAS SPARKED BY A VISION BY MIKKO KÄRKKÄINEN, IN WHICH LED TECHNOLOGY ENABLES NEW, CREATIVE WAYS TO USE WOOD AS A MATERIAL FOR A LUMINAIRE.

THE MODERN BUT TIMELESS DESIGN OF THE SERIES IS COMPLEMENTS INTERIORS OF ALL KINDS WITH PRESTIGE, ELEGANCE AND HIGH-QUALITY LIGHT. -

44 ---

This is the luminaire that started it all – a true milestone in the Tunto story. Born of a flash of creative inspiration, LED1 was ahead of its time upon its conception. Today it is an award-winning design classic.

Elegant touch-sensitive switching allows for easy control and brightness adjustment.





Collection




TECHNICAL SPECIFICATIONS






Surface Finish Lacquer



Measurements



Size Weight Thickness	370 x 300 x 170 mm 0.8 kg 7 mm		Kelvin Lumen CRI	2700 K max 800 lm, lowest level 500 lm 97
Power Use Voltage Output Cord Length Suitable	16-10 W 100-240 V 50/60 Hz 18-24V 1.8 m EURO, UK, USA/Japan		Package Size Package Weight	430 x 330 x 220 mm 1.8 kg
INDOOR USE ONLY		NON-USER REPLACEABLE LIGHT SOURCE		ε IP20 C € <

Collection